

AUSTRAL



MARINE

Austral Marine
Boat Pictures
And
Specification
Sheets
2010

The home of power boating



AUSTRAL



MARINE

BOAT MODELS - 2010



BENGUELA 17CC



KESTREL 585



PANACHE 1850



PANACHE 2450 O/B



BENGUELA 19CC



ODYSSEY 17CC



PANACHE 1950 O/B



PANACHE 2450 STERNDRIVE



BENGUELA 530 CAT CC



ODYSSEY 17SC



PANACHE 1950 STERNDRIVE



HARRIER 505



ODYSSEY 19 OFFSHORE



PANACHE 2150 O/B



KESTREL 505



ODYSSEY 650 SD STERNDRIVE



PANACHE 2150 STERNDRIVE



KESTREL 505 OFFSHORE



ODYSSEY 650 SD O/B



PANACHE 2250 O/B



KESTREL 575



PANACHE 1750



PANACHE 2250 STERNDRIVE



MODEL: BENGUELA 17 CC

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: **1580** litres
- Self bailing deck with scuppers
- Non skid fiberglass sole
- Stainless Bowrails
- Stainless bow roller
- Stainless bollard
- Stainless trolling bars with adjustable/removable rod holders
- Boarding step and ladder – specify single or dual installation
- Driver console with acrylic screen and stainless screen rail
- Storage under console with conduit to aft for all connections
- All doors and hatches with stainless hinges and secure catches
- Driver/co-pilot bum-seat with storage compartments
- Storage for up to 6 fuel cans
- Large anchor hatch in bow
- Large storage hatches under bow seating
- Flush fish hatch with drain
- Dry storage cupboards under engine well
- Built in stainless rod racks in sides

L.O.A.	5.40m
BEAM MAX	2.32m
WEIGHT	690kgs
REC HP	2 x 40 – 2 x 60 HP

PERCENTAGE FLOTATION WITH 5 PERSONS AND EFFECTS - 100%

TRAILER

Single axle braked. Spare wheel bracket standard.

TYRE SIZE	185 X 14
T	285kgs
GVM	1200kgs



MODEL: BENGUELA 19 CC

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: **1550** litres
- Self bailing deck with scuppers
- Non skid fiberglass sole
- Stainless Bowrails
- Stainless bow roller and bollard
- Stainless trolling bars with adjustable/removable rod holders
- Boarding step and ladder – specify single or dual installation
- Driver console with acrylic screen and stainless screen rail
- Storage under console with conduit to aft for all connections
- All doors and hatches with stainless hinges and secure catches
- Driver/co-pilot bum-seat with aft facing seat contains useful storage compartments
- Storage for up to 8 fuel cans
- Large anchor hatch in bow
- Large storage hatches under bow seating
- Flush fish hatch with drain and split lid
- Dry storage cupboards under engine well
- Built in stainless rod racks in sides
- Fold-up stainless frame seat in front of console

L.O.A.	5.95m
BEAM MAX	2.36m
WEIGHT	780kgs
REC HP	2 x 60 – 2 x 90 HP

PERCENTAGE FLOTATION WITH 6 PERSONS AND EFFECTS - 85%

TRAILER

Single axle braked. Spare wheel bracket standard.

TYRE SIZE	185 X 14
T	410kgs
GVM	1500kgs



MODEL: BENGUELA 530 CAT CC

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: **3050** litres
- Self bailing deck with stainless deck drains
- Non skid fiberglass sole
- Stainless Bowrails with centre opening
- Stainless bow roller and bollard
- Stainless trolling bars with adjustable/removable rod holders
- Boarding step at transom
- Driver console with acrylic screen and stainless screen rail
- Storage under console includes tackle drawers, with conduit to aft for all connections
- All doors and hatches with stainless hinges and secure catches
- Driver/co-pilot bum-seat with aft facing seat contains useful storage compartments
- Storage for up to 7 fuel cans
- Large double anchor hatch in bow
- Large storage hatches under bow seating
- Flush fish hatches with drain and split lids
- Dry storage cupboards under engine well
- Built in stainless rod racks in sides
- Fold-up stainless frame seat in front of console

L.O.A.	5.35m
BEAM MAX	2.35m
WEIGHT	840kgs
REC HP	2 x 60 – 2 x 75 HP
MAX HP	2 x 90 HP

PERCENTAGE FLOTATION WITH 6 PERSONS AND EFFECTS - 160%

TRAILER

Single axle braked. Break-neck. Spare wheel standard. Fully galvanized.

TYRE SIZE	215 X 15 COMMERCIAL RADIAL
T	540kgs
GVM	2500kgs



MODEL: HARRIER 505

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: 440 litres
- Stainless Bowrails
- Standard Boarding Platforms X 2
- Double folding stainless step and grab handle
- Stainless Mini Ski-wing
- Aluminium framed acrylic windscreen with walk-thru door
- Storage under all seat bases
- Glove box with lid
- Reversible passenger seat
- Carpeted ski locker
- L.O.A. 5.1m**
- BEAM MAX 2.1m**
- WEIGHT 445kgs**
- REC HP 60 – 115 HP**

HIGHLY RECOMMENDED ENGINE 70 – 90 HP

TRAILER

Single axle braked **OR** unbraked – customer choice. Spare wheel and bracket optional. Legally the trailer should be braked.

- TYRE SIZE 165 X 13**
- T 285kgs OR 265kgs**
- GVM 1200kgs OR 750kgs**



MODEL: KESTREL 505

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: 550 litres
- Stainless Bowrails
- Standard Boarding Platforms X 2
- Stainless double folding ladder on one platform
- Stainless Mini Skiing
- Aluminium framed Acrylic windscreen with walk-thru door
- Custom ergonomic, non reflective dash and instrument panel
- Glove box with lid
- Carpeted ski locker

L.O.A.	5.05m
BEAM MAX	2.17m
WEIGHT	460kgs
REC HP	75 – 130 HP

HIGHLY RECOMMENDED ENGINE 90 – 115 HP

TRAILER

Single axle unbraked. Standard spare wheel bracket, spare wheel optional.

TYRE SIZE	165 x 13
T	260kgs
GVM	750kgs



MODEL: KESTREL 505 – OFFSHORE

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: 860 litres
- Stainless Bowrails
- Standard Boarding Platforms X 2
- Stainless double folding ladder on one platform
- Stainless Mini Skiing
- Aluminium framed Acrylic windscreen with walk-thru door
- Custom ergonomic, non reflective dash and instrument panel
- Glove box with lid
- Carpeted ski locker with hinged lid and latch
- Self bailing deck with scuppers
- Sufficient flotation to carry five people offshore (75%)

L.O.A.	5.05m
BEAM MAX	2.17m
WEIGHT	460kgs
REC HP	75 – 130 HP

TRAILER

Single axle unbraked. Standard spare wheel bracket, spare wheel optional.

TYRE SIZE	165 x 13
T	260kgs
GVM	750kgs



MODEL: KESTREL 575

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: 660 litres
- Stainless Bowrails
- Standard Boarding Platforms X 2
- Stainless double folding ladder on one platform
- Stainless Mini Skiing
- Aluminium framed Acrylic windscreen with walk-thru door
- Standard LX seating arrangement
- Driver seat on swivel pedestal base
- Port and Starboard lights
- Plug-in Sternlight
- 500GPH Bilge Pump
- Custom switch panel
- Custom ergonomic, non reflective dash and instrument panel
- Standard built-in 70 litre fuel tank (fluorinated) with sender unit
- Glove box with lid
- Carpeted ski locker

L.O.A.	5.75m
BEAM MAX	2.34m
WEIGHT	645kgs
REC HP	90 – 150 HP

TRAILER

Single axle braked. Standard spare wheel bracket, spare wheel optional.

TYRE SIZE	185 x 14
T	330kgs
GVM	1200kgs



MODEL: KESTREL 585

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: 1290 litres
- Stainless Bowrails and Taffrails
- Stainless removable ski pole
- Twin boarding platforms
- Telescopic stainless ladder on port side
- 4 X Retractable cleats
- Aluminium framed, Toughened Glass, tinted windscreen with centre door
- Recessed port and starboard lights
- Plug-in Sternlight
- 12V Auxiliary plug
- Built-in custom switch panels
- Standard built-in 105 litre fuel tank (fluorinated) with sender unit
- Standard filler cushion converts bow area into sunbed
- Sundeck lid (gas lift assisted) opens up to cavernous storage area
- Storage cupboard under portside dash console
- Glove box with lid
- Driver custom bucket seat with flip-up front bolster , on swivel pedestal base
- L shaped lounge seat with flip-up backrest to create passenger bucket seat
- Fully carpeted cockpit
- Large ski locker with hinged lid and catch

L.O.A.	5.86m
BEAM MAX	2.38m
WEIGHT	715kgs
REC H.P.	130- 200 HP

HIGHLY RECOMMENDED ENGINE – 150 HP

TRAILER

Single axle braked. Spare wheel bracket standard.

TYRE SIZE	185 X 14
T	410kgs
GVM	1500kgs

OPTIONAL EXTRA

- Spare Wheel on Trailer



MODEL: ODYSSEY 17 CC

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: **1225** litres
- Self bailing deck with scuppers
- Non skid fiberglass sole
- Stainless Bowrails
- Stainless bow roller
- Stainless Mini ski wing and taffrails
- Stainless double folding boarding ladder at stern
- Standard port and starboard lights
- Plug-in Sternlight
- Built-in custom switch panels
- Storage under console for fuel cans – conduit for all lines and wiring to stern
- Driver console with acrylic screen, stainless screen rail and grab handles
- Seat with cushions in front of console.
- Driver seat (double width) with reversible stainless backrest rail – storage with tray
- Large anchor locker storage in bow
- Jump seats either side of engine well

L.O.A.	5.40m
BEAM MAX	2.20m
WEIGHT	675kgs
REC HP	90 – 130 HP

HIGHLY RECOMMENDED ENGINE OPTION – 90 HP

TRAILER

Single axle braked. Spare wheel bracket standard – **break-neck trailer optional**

TYRE SIZE	185 X 14
T	285kgs
GVM	1200kgs

OPTIONAL EXTRA

- Cushion for front anchor hatch lid



MODEL: ODYSSEY 17 SC

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: **1225** litres
- Self bailing deck with scuppers
- Non skid fiberglass sole
- Stainless Bowrails
- Stainless bow roller
- Stainless Mini ski wing and taffrails
- Stainless double folding boarding ladder at stern
- Aluminium framed Acrylic windscreen
- Standard port and starboard lights
- Plug-in Sternlight
- Built-in custom switch panels
- Standard built-in 105 litre fuel tank (fluorinated) with sender unit
- Glove box with lid
- Driver and passenger seats on swivel pedestal base
- Large anchor locker storage in bow
- Storage under hinged cushions in front of driver and passenger
- Jump seats either side of engine well

L.O.A.	5.40m
BEAM MAX	2.20m
WEIGHT	675kgs
REC HP	90 - 130 HP

TRAILER

Single axle braked. Spare wheel bracket standard.

TYRE SIZE	185 X 14
T	285kgs
GVM	1200kgs

OPTIONAL EXTRAS

- Cushion for front anchor hatch lid
- Removable box seat with cushion for fitment in front of engine well



MODEL: ODYSSEY 19 OFFSHORE

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: **2160** litres
- New gun'l bead with stainless insert
- Self bailing deck with scuppers
- Transom designed for single or dual engine installation
- Stainless Bowrails and Taffrails
- Stainless removable ski pole
- Aluminium framed **toughened glass, tinted** windscreen with walk-thru door
- Pop-up cleats X 4
- Recessed port and starboard lights
- Plug-in Sternlight
- 12V Auxiliary plug
- Hooter
- Built-in custom switch panels
- Standard built-in 150 litre fuel tank (fluorinated) with sender unit
- Standard filler cushion converts bow area into sunbed
- Sundeck lid (gas lift assisted) opens up to cavernous storage area
- Storage cupboard under portside dash console
- Glove box with lock
- Driver custom bucket seat with flip-up front bolster – adjustable fore and aft
- Large ski locker with hinged lid and catch

L.O.A.	5.86m
BEAM MAX	2.38m
WEIGHT	715kgs (Excluding the engine)
REC H.P	Single engine 115 – 200 HP
	Twin engines 2 X 50 – 2 X 90 HP

HIGHLY RECOMMENDED ENGINE OPTION – 2 X 60 HP

TRAILER

- Single axle braked. Spare wheel bracket standard. Break-neck trailer available
- TYRE SIZE 185 X 14**
- T 410kgs**
- GVM 1500kgs**

OPTIONAL EXTRAS

- Twin platforms with telescopic ladder one side for single installation only.
- Custom boarding platforms with ladder (central mounted) for dual installation.
- Carpet set, loose lay, rubber backed



MODEL: ODYSSEY 650 SUNDECK – STERNDRIVE INBOARD

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: **2150** litres
- New gun'l bead with stainless insert
- All cushions on Komacel base
- Imported marine grade, fire retardant and anti-fungal upholstery material
- All horizontal cushions have foam wrapped in plastic to prevent water absorption
- Marine grade carpet
- Stainless Bowrails
- Stainless grab handles X 4
- Full Boarding Platform with stainless supports and full width stainless grab/rub rail
- Telescopic Boarding Ladder recessed into platform
- Stainless ski-tow hook
- Aluminium framed toughened glass, tinted windscreen with walk-thru door
- Pop-up cleats X 4
- Recessed port and starboard lights
- Plug-in Sternlight
- Bilge Pump 12V
- 12V Auxiliary plug
- Hooter
- Marine grade speakers for Radio X 4
- Built-in custom switch panels
- Custom ergonomic dash and instrument panel
- Full instrumentation
- Cup holders fore and aft
- Standard Power Steering with "Tilt Sport" Helm
- Standard built-in 150 litre fuel tank (fluorinated) with sender unit
- Standard filler cushion converts bow area into sunbed
- Back seat leaner (hinged) opens up for easy access to engine
- Storage under all other seats
- Large storage cupboard under portside dash console – doorway opens to close walk-thru
- Removable table for positioning fore or aft
- Glove box with lock
- Driver custom bucket seat with flip-up front bolster on pedestal base – adjustable fore and aft
- Large ski locker with hinged lid and catch
- Anchor hatch with Danforth anchor supplied
- Anchor hatch also conceals Telescopic stainless ladder for access over bow

L.O.A. 6.55m
BEAM MAX 2.58m
WEIGHT T.B.A.
REC HP 250 – 300 HP

SEE DEALER FOR DIFFERENT ENGINE OPTIONS – NB PROP IS NOT SUPPLIED

TRAILER

Tandem axle braked. Spare wheel standard. **Custom Mag wheels, including spare.**

TYRE SIZE 185 X 14
T 520kgs
GVM 2100kgs



MODEL: ODYSSEY 650 SUNDECK O/B

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: **2150** litres
- New gun'l bead with stainless insert
- All cushions on Komacel base
- Imported marine grade, fire retardant and anti-fungal upholstery material
- All horizontal cushions have foam wrapped in plastic to prevent water absorption
- Marine grade carpet
- Stainless Bowrails
- Stainless grab handles X 3
- Standard Boarding Platforms with stainless supports/handles
- Telescopic Boarding Ladder built into Portside Platform
- Stainless Mini Skiing
- Aluminium framed toughened glass, tinted windscreen with walk-thru door
- Pop-up cleats X 4
- Recessed port and starboard lights
- Plug-in Sternlight
- Bilge Pump 12V
- 12V Auxiliary plug
- Hooter
- Marine grade speakers for Radio X 4
- Built-in custom switch panels
- Custom ergonomic dash and instrument panel
- Cup holders fore and aft
- Standard fitted Hydraulic Steering with "Tilt Sport" Helm
- Standard built-in 150 litre fuel tank (fluorinated) with sender unit
- Standard filler cushion converts bow area into sunbed
- Back seat leaner (hinged) opens up to cavernous storage area
- Storage under all other seats
- Large storage cupboard under portside dash console – doorway opens to close walk-thru
- Removable table for positioning fore or aft
- Glove box with lock
- Driver custom bucket seat with flip-up front bolster on pedestal base – adjustable fore and aft
- Large ski locker with hinged lid and catch
- Anchor hatch with Danforth anchor supplied
- Anchor hatch also conceals Telescopic stainless ladder for access over bow

L.O.A.	6.55m
BEAM MAX	2.58m
WEIGHT	920kgs
REC HP	200 – 250 HP

TRAILER

Tandem axle braked. Spare wheel standard. **Custom Mag wheels, including spare.**

TYRE SIZE	185 X 14
T	520kgs
GVM	2100kgs



MODEL: PANACHE 1750

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor 530 litres.
- Stainless Bowrails
- Standard Boarding Platforms with stainless supports/handles
- Telescopic Boarding Ladder built into Portside Platform
- Stainless Mini Skiwing
- Aluminium framed toughened glass, tinted windscreen with walk-thru door
- Recessed port and starboard lights
- Plug-in Sternlight
- 500GPH Bilge Pump
- Built-in custom switch panels
- Standard built-in 105 litre fuel tank (fluorinated) with sender unit
- Glove box with lid
- Driver custom bucket seat with flip-up front bolster
- Driver seat mounted on swivel pedestal base
- L shaped seat has flip-up front to form backrest for optional passenger bucket seat
- Large ski locker with hinged lid and catch

L.O.A.	5.38m
BEAM MAX	2.27m
WEIGHT	590kgs
REC H.P	90 – 140 HP

HIGHLY RECOMMENDED ENGINE OPTION – 115 HP

TRAILER

Single axle braked . Spare wheel optional

TYRE SIZE	185 x 14
T	330kgs
GVM	1200kgs



MODEL: PANACHE 1850

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: 590 litres
- Stainless Bowrails
- Standard Boarding Platforms X 2
- Stainless telescopic step on Port side
- Stainless Mini Skiwing
- Aluminium framed Acrylic windscreen with walk-thru door
- Standard LX seating arrangement
- Combination Bowlight
- Plug-in Sternlight
- 500GPH Bilge Pump
- Custom switch panel
- Custom ergonomic, non reflective dash and Carbon Fibre instrument panel
- Standard built-in 70 litre fuel tank (fluorinated) with sender unit
- Sundeck lid (gas lift assisted) opens up to cavernous storage area
- Storage cupboard under portside dash console
- Glove box with lid
- Carpeted ski locker

L.O.A.	5.7m
BEAM MAX	2.25m
WEIGHT	580kgs
REC HP	115 – 200 HP

TRAILER

Single axle braked. Standard spare wheel bracket, spare wheel optional.

TYRE SIZE	185 x 14
T	330kgs
GVM	1200kgs

OPTIONAL EXTRAS

- Swivel pedestal seat base
- Spare wheel



MODEL: PANACHE 1950 O/B

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor 725 litres.
- New gun'l bead with stainless insert
- Stainless Bowrails
- Standard Boarding Platforms with stainless supports/handles
- Telescopic Boarding Ladder built into Portside Platform
- Stainless Mini Skiing
- Aluminium framed toughened glass, tinted windscreen with walk-thru door
- Pop-up cleats X 4
- Recessed port and starboard lights
- Plug-in Sternlight
- 500GPH Bilge Pump
- 12V Auxiliary plug
- Hooter
- Speakers for Radio X 4
- Built-in custom switch panels
- Standard Fire Extinguisher in special storage
- Standard fitted Hydraulic Steering with "Tilt Sport" Helm
- Standard built-in 105 litre fuel tank (fluorinated) with sender unit
- Standard filler cushion converts bow area into sunbed
- Sundeck lid (gas lift assisted) opens up to cavernous storage area
- Storage cupboard under port side dash console
- Glove box with lock
- Driver custom bucket seat with flip-up front bolster
- Driver seat mounted on swivel pedestal base – adjustable fore and aft.
- Large ski locker with hinged lid and catch

L.O.A.	5.95m
BEAM MAX	2.25m
WEIGHT	685kgs
REC H.P	115 – 200 HP

TRAILER

Single axle braked . Spare wheel standard.

Option - Custom mag rims on three wheels extra

TYRE SIZE	185 X 14
T	330kgs
GVM	1200kgs



MODEL: PANACHE 1950 STERNDRIVE

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: 610 litres
- New gun`l bead with stainless insert
- All cushions on Komacel base
- Stainless Bowrails
- Stainless Ski-tow Eye
- Aluminium framed toughened glass, tinted windscreen with walk-thru door
- Pop-up cleats X 4
- Recessed port and starboard lights
- Plug-in Sternlight
- 500GPH Bilge Pump
- 12V Auxiliary plug
- Hooter
- Speakers for Radio X 4
- Built-in custom switch panels
- Standard Fire Extinguisher in special compartment
- Power assisted fitted Steering with "Tilt Sport" Helm
- Standard built-in 105 litre fuel tank (fluorinated) with sender unit
- Standard filler cushion converts bow area into sunbed
- Sundeck lid (gas lift assisted) opens up to give easy access to engine and storage
- Storage cupboard under portside dash console
- Glove box with lock
- Driver custom bucket seat with flip-up front bolster
- Driver seat mounted on swivel pedestal base – adjustable fore and aft
- Large ski locker with hinged lid and catch
- Bilge Blower
- Full swim platform with telescopic boarding ladder and stainless rail

L.O.A. 6.8m
BEAM MAX 2.44m
WEIGHT 1235kgs with standard engine

ENGINE OPTIONS

STANDARD - MERCUISER 4.3 MPI (With Smartcraft instrumentation)
OPTIONAL - MERCUISER 5.0 MPI (With Smartcraft instrumentation)

TRAILER

Single axle braked. Spare wheel standard. Custom **Mag wheels ,including spare**. This trailer has a greater GVM than the standard Outboard model trailer.

TYRE SIZE 215 X R14C
T 330kgs
GVM 2000kgs



MODEL: PANACHE 2150 O/B

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: 675 litres
- Stainless Bowrails
- Standard Boarding Platforms X 2
- Stainless telescopic ladder on Port side platform
- Stainless Mini Skiwing
- Aluminium framed Acrylic windscreen with walk-thru door
- Combination Bowlight
- Plug-in Sternlight
- 500GPH Bilge Pump
- Custom switch panel
- Driver bucket seat on swivel pedestal base
- Custom ergonomic, non reflective dash and instrument panel
- Standard built-in 105 litre fuel tank (fluorinated) with sender unit
- Sundeck lid (gas lift assisted) opens up to cavernous storage area
- Storage cupboard under portside dash console
- Removable table
- Glove box with lid
- Carpeted ski locker

L.O.A.	6.52m
BEAM MAX	2.35m
WEIGHT	760kgs
REC HP	150 – 225 HP

TRAILER

Tandem axle braked. Standard spare wheel bracket, spare wheel optional.

TYRE SIZE	155 X 13
T	475kgs
GVM	1600kgs





MODEL: PANACHE 2150 STERNDRIVE

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: 675 litres
- Stainless Bowrails
- Full swim platform with ladder
- Stainless ski tow pylon
- Aluminium framed Acrylic windscreen with walk-thru door
- 4 X Pop-up cleats
- Power assisted steering with tilt helm
- Driver seat mounted on pedestal base – adjustable fore and aft
- Combination Bowlight
- Plug-in Sternlight
- 500GPH Bilge Pump
- Custom switch panel
- Bilge blower
- Custom ergonomic, non reflective dash and instrument panel
- Standard built-in 105 litre fuel tank (fluorinated) with sender unit
- Sundeck lid (gas lift assisted) opens to large storage area and engine compartment
- Storage cupboard under portside dash console
- Removable table
- Glove box with lid
- Carpeted ski locker

L.O.A. **6.52m**
BEAM MAX **2.35m**
WEIGHT **1210kgs with standard engine**

STANDARD ENGINE: MERCUISER 5.0 MPI / ALPHA 1 DRIVE

TRAILER

Tandem axle braked. Standard **Mag wheels including spare.**

TYRE SIZE **155 X 13**
T **475kgs**
GVM **1750kgs**



MODEL: PANACHE 2250 O/B

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor 725 litres.
- New gun'l bead with stainless insert
- All cushions on Komacel base
- Stainless Bowrails
- Standard Boarding Platforms with stainless supports/handles
- Telescopic Boarding Ladder built into Portside Platform
- Stainless Mini Skiing
- Aluminium framed toughened glass, tinted windscreen with walk-thru door
- Pop-up cleats X 4
- Recessed port and starboard lights
- Plug-in Sternlight
- 500GPH Bilge Pump
- 12V Auxiliary plug
- Hooter
- Speakers for Radio X 4
- Built-in custom switch panels
- Standard Fire Extinguisher in special storage
- Standard fitted Hydraulic Steering with "Tilt Sport" Helm
- Standard built-in 105 litre fuel tank (fluorinated) with sender unit
- Standard filler cushion converts bow area into sunbed
- Sundeck lid (gas lift assisted) opens up to cavernous storage area
- Storage cupboard under port side dash console
- Bar locker with storage for bottles and glasses behind passenger bunk
- Removable table
- Glove box with lock
- Driver custom bucket seat with flip-up front bolster
- Driver seat mounted on swivel pedestal base – adjustable fore and aft.
- Large ski locker with hinged lid and catch

L.O.A.	6.8m
BEAM MAX	2.44m
WEIGHT	810kgs
REC HP	150 – 225 HP

TRAILER

Tandem axle braked . Spare wheel standard. Custom Mag Wheels including spare.

TYRE SIZE	155 X 13
T	490kgs
GVM	1750kgs





MODEL: PANACHE 2250 STERNDRIVE

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: 670 litres
- New gun'l bead with stainless insert
- All cushions on Komacel base
- Stainless Bowrails
- Stainless Mini Skiwing
- Aluminium framed **toughened glass, tinted** windscreen with walk-thru door
- Pop-up cleats X 4
- Recessed port and starboard lights
- Plug-in Sternlight
- 500GPH Bilge Pump
- 12V Auxiliary plug
- Hooter
- Speakers for Radio X 4
- Built-in custom switch panels
- Standard Fire Extinguisher in special compartment
- Power assisted fitted Steering with "Tilt Sport" Helm
- Standard built-in 105 litre fuel tank (fluorinated) with sender unit
- Standard filler cushion converts bow area into sunbed
- Sundeck lid (gas lift assisted) opens up to give easy access to engine and storage area
- Storage cupboard under portside dash console
- Bar locker with storage for bottles and glasses behind passenger bunk
- Removable table
- Glove box with lock
- Driver custom bucket seat with flip-up front bolster
- Driver seat mounted on swivel pedestal base – adjustable fore and aft
- Large ski locker with hinged lid and catch
- Bilge Blower
- Full swim platform with telescopic boarding ladder and stainless rail

L.O.A. 6.8m
BEAM MAX 2.44m
WEIGHT 1235kgs with standard engine

ENGINE OPTIONS

STANDARD – MERCUISER: 5.0 MPI / ALPHA 1 DRIVE
OPTIONAL – MERCUISER 350 MAGNUM 5.7 MPI / BRAVO 1 DRIVE

TRAILER

Tandem axle braked. Spare wheel standard. Custom Mag wheels including spare.

TYRE SIZE 155 X 13
T 490kgs
GVM 1750kgs



MODEL: PANACHE 2450 O/B

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: **1425** litres
- New gun'l bead with stainless insert
- All cushions on Komacel base
- Stainless Bowrails
- Standard Boarding Platforms with stainless supports/handles
- Telescopic Boarding Ladder built into Portside Platform
- Stainless Mini Skiwing
- Aluminium framed toughened glass, tinted windscreen with walk-thru door
- Pop-up cleats X 4
- Recessed port and starboard lights
- Plug-in Sternlight
- 500GPH Bilge Pump
- 12V Auxiliary plug
- Hooter
- Speakers for Radio X 4
- Built-in custom switch panels
- Custom ergonomic, non reflective dash and instrument panel
- Standard Fire Extinguisher in special compartment
- Standard fitted Hydraulic Steering with "Tilt Sport" Helm
- Standard built-in 150 litre fuel tank (fluorinated) with sender unit
- Standard filler cushion converts bow area into sunbed
- Sundeck lid (gas lift assisted) opens up to cavernous storage area
- Storage cupboard under portside dash console
- Bar locker with storage for bottles and glasses behind passenger bunk
- Removable table
- Glove box with lock
- Driver custom bucket seat with flip-up front bolster – adjustable fore and aft
- Storage drawer under driver's seat base
- Large ski locker with hinged lid and catch
- Anchor hatch with Danforth anchor supplied

L.O.A.	7.52m
BEAM MAX	2.59m
WEIGHT	1080kgs
REC HP	200 – 300 HP

TRAILER

Tandem axle braked. Spare wheel standard. Custom Mag wheels including spare.

TYRE SIZE	185 X 14
T	520kgs
GVM	2100kgs





MODEL: PANACHE 2450 STERNDRIVE

STANDARD BOAT INCLUDES :

- Specially Injected High Density Foam Flotation under floor: **1360 litres**
- New gun'l bead with stainless insert
- All cushions on Komacel base
- Stainless Bowrails
- Stainless Mini Skiwing
- Aluminium framed toughened glass, tinted windscreen with walk-thru door
- Pop-up cleats X 4
- Recessed port and starboard lights
- Plug-in Sternlight
- 500GPH Bilge Pump
- 12V Auxiliary plug
- Hooter
- Speakers for Radio X 4
- Built-in custom switch panels
- Custom ergonomic, non reflective dash and instrument panel
- Standard Fire Extinguisher in special compartment
- Power assisted fitted steering with "Tilt Sport" Helm
- Standard built-in 150 litre fuel tank (fluorinated) with sender unit
- Standard filler cushion converts bow area into sunbed
- Sundeck lid (gas lift assisted) opens up to cavernous storage area
- Storage cupboard under portside dash console
- Bar locker with storage for bottles and glasses behind passenger bunk
- Removable table
- Glove box with lock
- Driver custom bucket seat with flip-up front bolster – adjustable fore and aft
- Storage drawer under driver's seat base
- Large ski locker with hinged lid and catch
- Anchor hatch with Danforth anchor supplied
- Bilge Blower
- Full swim platform with telescopic boarding ladder and stainless rail

L.O.A. 7.52m
BEAM MAX 2.59m
WEIGHT 1530kgs with standard engine

STANDARD ENGINE: MERCUISER 350 MAGNUM 5.7L / BRAVO 1 DRIVE

TRAILER

Tandem axle braked. Spare wheel standard. Custom Mag wheels including spare.

TYRE SIZE 185 X 14
T 520kgs
GVM 2100kgs

